THE JOURNAL OF HAND SURGERY

Official journal
AMERICAN SOCIETY FOR SURGERY OF THE HAND

VOLUME 9A JANUARY-DECEMBER, 1984

AMERICAN VOLUME

AMERICAN VOLUME

Editor in Chief: Adrian E. Flatt

Assistant Editor: F. William Bora, Jr.

Editorial Office: Department of Orthopaedics, Baylor University Medical Center, 3500 Gaston Ave., Dallas, TX 75246 U.S.A. Phone: (214) 820-2865

Associate Editors

Earl Z. Browne, Jr., *Philadelphia*
Richard I. Burton, *Rochester, N.Y.*
Richard G. Eaton, *New York*
William P. Graham III, *Hershey*
Francis M. Howard, *Longboat Key, Fla.*
Michael E. Jabaley, *Jackson*
John C. Kelleher, *Toledo*
Lynn D. Ketchum, *Overland Park*
Graham D. Lister, *Louisville*
Mary H. McGrath, *New York*
Lawrence H. Schneider, *Philadelphia*
James W. Strickland, *Indianapolis*
Chris P. Tountas, *St. Paul*
Paul M. Weeks, *St. Louis*
Andrew J. Weiland, *Baltimore*
Virchel E. Wood, *Loma Linda*

Corresponding Editors

Argentine Society for Surgery of the Hand: E. Zancolli
Australian Hand Club: J. T. Hueston
Belgian Hand Group: J. Fissette
Brazilian Society of Surgery of the Hand: A. Pardini, Jr.
British Society for Surgery of the Hand: N. Barton
Caribbean Society of Surgery of the Hand: L. Gomez-Correa
Eastern Mediterranean Society: W. Fahmy
German-Speaking Society for Hand Surgery: D. Buck-Gramcko
Groupe D'Etude de la Main (G.E.M.): R. Tubiana
Indian Hand Society: R. Ventkataswami
Israel Hand Club: I. Kessler
Italian Society of Surgery of the Hand: P. Cherubino
Japanese Society for Surgery of the Hand: T. Tajima
Netherlands Society for Hand Surgery: J. van der Meulen
New Zealand Hand Society: S. Gilbert
Portuguese Society for Surgery of the Hand: M. A. V. Serra Costa
Scandinavian Society for Surgery of the Hand: S. Johansson
South Africa Society for Surgery of the Hand: K. Pretorius
Spanish Society for Hand Surgery: F. Enriquez De Salamanca
Swiss Group for the Study of the Hand: H. Nigst

THE C. V. MOSBY COMPANY
St. Louis

BRITISH VOLUME

Editors: Graham Stack and Harold Bolton
Assistant Editor: Nicholas Barton

Editorial Office: Graham Stack, Westhay, Mount Ave., Hutton, Brentwood, Essex, CM13 2PB, U.K.

Editorial Board

Kenneth Backhouse, *London*
Geoffrey Fisk, *London*
James Harvey Kemble, *Billericay*
Douglas Lamb, *Edinburgh*
David Maisels, *Liverpool*
Ian Muir, *Aberdeen*
Angus McGrouther, *Glasgow*
Robert Robins, *Truro*
C. B. Wynne Parry, *London*

Corresponding Editors

Eduardo Zancolli, *Argentina*
John T. Hueston, *Australia*
Hanno Millesi, *Austria*
Edouard Vander Elst, *Belgium*
Ivan Matev, *Bulgaria*
Robert M. McFarlane, *Canada*
Andreas P. Weilby, *Denmark*
W. M. Fahmy, *Egypt*
Kauko Solonen, *Finland*
Jacques Michon, *France*
Dieter Buck-Gramcko, *Germany*
Basil Petropoulas, *Greece*
Noshir Antia, *India*
Joel Engel, *Israel*
Vittorio Salvi, *Italy*
Kenya Tsuge, *Japan*
Jacques van der Meulen, *Netherlands*
William Gillespie, *New Zealand*
Halfdan Schelderup, *Norway*
Manuel Serra Costa, *Portugal*
Dennis Walker, *South Africa*
Henry Nigst, *Switzerland*
Adrian E. Flatt, *U.S.A.*

VOLUME 9A

Copyright © 1984 by

The American Society for Surgery of the Hand

All rights reserved

Printed in the United States of America

Index to Volume 9A

Author Index*

A

Adams J: *see* Wood and Adams, 699
Adams JP: *see* Fleeter et al, 764
Adelaar RS, Foster WC, McDowell C: Treatment of cubital tunnel syndrome, 90
Alexander CE: *see* Lichtman et al, 185
Almquist B: *see* Almquist et al, 792
Almquist EE, Nachemson A, Auth D, Almquist B, Hall S: Evaluation of use of argon laser in repairing rat and primate nerves, 792
Alpert BS: *see* Gordon et al, 642
—*see* Wilson et al, 645
Ames EL, Posch JL: Calcinosis of flexor and extensor tendons in dermatomyositis—case report, 876
An K-N: *see* Cooney et al, 777
Anzel SH: *see* Salibian et al, 799
Ariyan S: *see* Gahhos et al, 320
Armenta E, Fisher J: Anatomy of flexor pollicis longus vinculum system, 210
Asurey N: *see* Fossati et al, 898
Atasoy E: *see* Seradge et al, 880
Atkinson R: *see* May et al, 253
Aulicino PL, Klavans SM, DuPuy TE: Digital ischemia secondary to thrombosis of persistent median artery, 820
—*see* Karr et al, 264
—*see* Shaffer et al, 88
Auth D: *see* Almquist et al, 792

B

Badalamente MA: *see* Dellon et al, 428
—*see* Hurst et al, 564
Ballet FL, Watson HK, Ryu J: Synovial chondromatosis of distal radioulnar joint, 590
—*see* Watson and Ballet, 358
Baruch AD, Haas A: Injury to hand with metallic mercury, 446
Barutt JP: *see* Dickason and Barutt, 132
Becton JL: *see* Hayter and Becton, 587
Beebe RD: *see* Watson et al, 541
Belsky MR, Eaton RG, Lane LB: Closed reduction and internal fixation of proximal phalangeal fractures, 725
Belsole RJ: *see* Rayhack et al, 383
Bendick PJ: *see* Smith et al, 314
Benkeddache Y, Gottesman H, Fourrier P: Multiple stapling for wrist arthrodesis in nonrheumatoid patient, 256
Bestard EA: *see* Menon et al, 527
Bieber EJ, Weiland AJ: Traumatic dorsal dislocation of triquetrum: case report, 840
Blum D: *see* Hurst et al, 428
Boeckstyns MEH, Busch P: Surgical treatment of scaphoid pseudarthrosis: evaluation of results after soft tissue arthroplasty and inlay bone grafting, 378
Boland DM: *see* Imbriglia and Boland, 142
Bora FW Jr: *see* Zielinski and Bora, 754
Born G: Neuropathy after bupivacaine (Marcaine) wrist and metacarpal nerve blocks, 109
Boswick J: *see* Garrett et al, 683
Bowe A, Doyle L, Millender LH: Bilateral partial ruptures of flexor carpi radialis tendon secondary to trapezial arthritis, 738
Bowers WH: *see* Louis et al, 365
Boyajian M: *see* Upton et al, 388
Bray TJ, McCarroll HR Jr: Preiser's disease: case report, 730
Brent B: *see* Kulick et al, 213
Brown CP, McGrouther DA: Excursion of tendon of flexor pollicis longus and its relation to dynamic splintage, 787
Brown RL: *see* Dodge et al, 901
Bubis JJ: *see* Lin et al, 847
Buchanan JR: *see* Nelson et al, 164
Buncke HJ: *see* Gordon et al, 642
—*see* Wilson et al, 645
Burkhalter WE: *see* Freeland et al, 22
—*see* Wittels et al, 894
Burns J, Lister GD: Localized constrictive radial neuropathy in absence of extrinsic compression: three cases, 99

*January, pp 1-154; March, pp 155-304; May, pp 305-462; July, pp 463-622; September, pp 623-776; November, pp 777-954.

Busch P: *see* Boeckstyns and Busch, 378
Bush DC, Schneider LH: Tuberculosis of the hand and wrist, 391

C

Caffee HH, Master NT: Atherosclerosis of forearm and hand, 193
Carlson CS Jr, and Curtis RM: Steroid injection for flexor tenosynovitis, 286
Cartsman GM, Ranawat CS: Treatment of osteoid osteoma of proximal phalanx by use of cryosurgery, 275
Cham RB, Peimer CA, Howard CS, Walsh WP, Eckert BS: Absorbable versus nonabsorbable suture for microneurorrhaphy, 434
Chamay A: *see* Lagier and Chamay, 328
Chan KM, Ma GFY, Cheng JCY, Leung PC: Krukenberg procedure: method of treatment for unilateral anomalies of upper limb in Chinese children, 548
—*see* Cheng et al, 155
Chase RA: Development of tissue transfer in hand surgery, 463
Chaves AMV: *see* Freeland et al, 22
Cheema TA: *see* Schenck and Cheema, 750
Chen M-T: *see* Chiu and Chen, 63
—*see* Lu et al, 805
Cheng JCY, Chan KM, Ma GFY, Leung PC: Polydactyly of thunb: surgical plan based on ninety-five cases, 155
—*see* Chan et al, 548
Chiu H-Y, Chen M-T: Revascularization of digits after thirty-three hours of warm ischemia time: case report, 63
—*see* Lu et al, 805
Clayton ML: *see* Thirupathi et al, 592
Clendenin MB, Smith RJ: Fifth metacarpal/hamate arthrodesis for posttraumatic osteoarthritis, 374
Cooney WP, Linscheid RL, An K-N: Opposition of thumb: anatomic and biomechanical study of tendon transfers, 777
Craig EV: New high-pressure injection injury of hand, 240
—House JH: Dorsal carpal dislocation and flexor tendon rupture in rheumatoid arthritis: case report, 261
Crawford GP: Molded polythene splint for mallet finger deformities, 231
Cruz NI: *see* Watson et al, 541
Culver JE Jr: *see* Kessler et al, 227
Cuono CB: Double Z-rhombic repair of both large and small defects of upper extremity, 197
—*see* Gahhos et al, 320
Curtis RM: *see* Carlson and Curtis, 286
—*see* Moore et al, 412

D

Dahners LE, Wood FM: Anconeus epitrochlearis, rare cause of cubital tunnel syndrome: case report, 579
Dangles CJ: True aneurysm of thumb digital artery, 444
Dell PC, Sheppard JE: Vascularized bone graft in treatment of infected forearm nonunions, 653
—*see* McConnell and Dell, 139
—*see* Vander Grend et al, 677
Dellon AL, Mackinnon SE: Pronator quadratus muscle flap, 423
—*see* Szabo et al, 104
De Smet L, Vercauteren M: Palmar dislocation of proximal interphalangeal joint requiring open reduction: case report, 717
Dev P: *see* Hentz et al, 188
Devlin VJ: *see* Haher et al, 243
Dickason WL, Barutt JP: Investigation of acute microwave-oven hand injury, 132
Dimick MP: *see* Szabo et al, 104
Dobyns JH: Invited comment, 526
—*see* Reagan et al, 502
Dodge LD, Brown RL, Niebauer JJ, McCarroll HR Jr: Treatment of mucous cysts: long-term follow-up in sixty-two cases, 901
Doi K, Kuwata N, Kawai S: Alumina ceramic finger implants: preliminary biomaterial and clinical evaluation, 740
Donelan MB: *see* May et al, 484
Donley JM: *see* Wittels et al, 894
Doyle L: *see* Bowe et al, 738
DuBou R: *see* Tsai et al, 68
DuPuy TE: *see* Aulicino et al, 820
—*see* Karr et al, 264
—*see* Shaffer et al, 88

E

Earley MJ: New digital retractor, 922
Eaton RG, Lane LB, Littler JW, Keyser JJ: Ligament reconstruction for painful thumb carpometacarpal joint: long-term assessment, 692
—*see* Belsky et al, 725
Eckert BS: *see* Cham et al, 434
Ejeskär A: Flexor tendon repair in no-man's-land: results of primary repair with controlled mobilization, 171
Elias JM: *see* Ellstein et al, 346
Elias LS: *see* Yaremchuk et al, 910
Ellstein J, Xeller C, Fromowitz F, Elias JM, Salentan S, Hurst LC: Soft tissue T cell lymphoma of forearm: case report, 346
—*see* Hurst et al, 564
Engel J: *see* Lin et al, 847
Epstein MJ: *see* Kessler et al, 227

F

Ferlic DC: *see* Thirupathic et al, 592
Fernandez DL: Technique for anterior wedge-shaped grafts for scaphoid nonunions with carpal instability, 733
Field GA: *see* Shaffer et al, 73
Field GA: *see* Wilber et al, 649
Finley JS: *see* Freeland and Finley, 843
Fisher J: *see* Armenta and Fisher, 210
Fitch RD, Urbaniak JR, Ruderman RJ: Conjoined flexor and extensor pollicis longus tendons in hypoplastic thumb, 417
Flatt AE: *see* Youm et al, 202
Fleeter TB, Myrie C, Adams JP: Pachydermodactyly: case report and discussion of pathologic entity, 764
Fleischer A, McGrath MH: Rheumatoid nodulosis of hand, 404
Fossati E, Irigaray A, Asurey N, Roncagliolo A, Fossati G: Lymphatic compression of the superficial branch of radial nerve—case report, 898
Fossati G: *see* Fossati et al, 898
Foster WC: *see* Adelaar et al, 90
Fourrier P: *see* Benkeddache et al, 256
Frazier WH: *see* Gahhos et al, 320
Freehafer AA, Kelly CM, Peckham H: Tendon transfer for restoration of upper limb function after cervical spinal cord injury, 887
Freeland AE, Finley JS: Displaced vertical fracture of trapezium treated with small cancellous lag screw, 843
—Jabaley ME, Burkhalter WE, Chaves AMV: Delayed primary bone grafting in hand and wrist after traumatic bone loss, 22
Freeman B: *see* Haher et al, 243
Friedman HI: *see* Morgan et al, 178
Fromowitz F: *see* Ellstein et al, 364
Frykman GK: *see* Menon et al, 527

G

Gahhos F, Ariyan S, Frazier WH, Cuono CB: Management of scleroderma finger ulcers, 320
Garrett WE Jr, Seaber AV, Boswick J, Urbaniak JR, Goldner JL: Recovery of skeletal muscle after laceration and repair, 683
Gelberman RH: *see* Szabo et al, 104
—*see* Taleisnik et al, 495
Gingrass RP: *see* Vanik et al, 216
Glickl SZ, Millender LH: Ligamentous reconstruction for chronic intercarpal instability, 514
Glisson RR: *see* Palmer et al, 681
Glowacki J: *see* Upton et al, 388
Glowczewski F: *see* Vander Grend et al, 677
Goldner JL: *see* Garrett et al, 683
—*see* Koman et al, 305
Goldstein SA: *see* Louis et al, 552
Goodman ML, Shankman GB: Update: palmar dislocation of trapezoid—case report, 127
Gordon L, Rosen J, Alpert BS, Buncke HJ: Free microvascular transfer of second toe ray and serratus anterior muscle for management of thumb loss at carpometacarpal joint level, 642
—*see* Wilson et al, 645
Gottesman H: *see* Benkeddache et al, 256
Gould JS: *see* O'Brien BMcC et al, 634
Graham RR: *see* Yaremchuk et al, 910
Green DP: Diagnostic and therapeutic value of carpal tunnel injection, 850
Green SM: *see* Posner and Green, 280
Greene MH, Hadied AM, LaMont RL: Scaphoid fractures in children, 536
Greene TL, Strickland JW: Fibroma of tendon sheath, 758
—*see* Louis et al, 552
Gribble TJ: *see* Moneim and Gribble, 580
Groves RJ: *see* Morgan and Groves, 845
Guy RJ: *see* Zook et al, 247
Gwathmey FW, House JH: Clinical manifestations of congential insensitivity of hand and classification of syndromes, 863
—*see* Karr et al, 264

H

Haas A: *see* Baruch and Haas, 446
Hadied AM: *see* Greene et al, 536
Haher JN: *see* Haher et al, 243
Haher TR, Devlin VJ, Haher JN, Freeman B, Smith AG: Case report of calcinosis universalis, 243
Hall S: *see* Almquist et al, 792
Hankin FM: *see* Louis et al, 365
Harrison CS: *see* Nelson et al, 164
Hastings DE, Silver RL: Intercarpal arthrodesis in management of chronic carpal instability after trauma, 834
Hayashi Y, Kojima T, Kohno T: Case of cubital tunnel syndrome caused by snapping of medial head of triceps brachii muscle, 96
Hayter ?G, Becton JL: Fibrous dysplasia of metacarpal: case report, 587
Hedeboe J: *see* Nielsen and Hedeboe, 135
Henard DC: Giant cell tumor of thumb metacarpal in elderly patient: case report, 343
Hentz VR, Marich KW, Dev P: Preliminary study of upper limb with use of ultrasound transmission imaging, 188
Herman O: *see* Lin et al, 847
Hoffman S: *see* Williams et al, 583
Hohl JC: *see* Menon et al, 527
Holder LE: *see* Mackinnon and Holder, 556
Holst-Nielsen F, Jensen V: Tardy posterior interosseous nerve palsy as result of unreduced radial head dislocation in Monteggia fractures: report of two cases, 572
Holtzman RNN, Mark MH, Patel MR, Wiener LM: Ulnar nerve entrapment neuropathy in forearm, 576
Homsy CA: *see* Kessler et al, 227
House JH: *see* Craig et al, 261
—*see* Gwathmey and House, 863
Howard CS: *see* Cham et al, 434
Howard FM: Giant cell tumor of capitate, 272
Hurst LC, Badalamente MA, Blum D: Carbon dioxide laser transection of rat peripheral nerves, 428
—, —, Ellstein J, Stracher A: Inhibition of neural and muscle degeneration after epineural neurorrhaphy, 564
—*see* Ellstein et al, 346

I

Imbriglia JE, Boland DM: Exercise-induced compartment syndrome of dorsal forearm—case report, 142
Irigaray A: *see* Fossati et al, 898
Ishii S: *see* Minami et al, 125

J

Jabaley ME: *see* Freeland et al, 22
Jacobson KE: *see* Louis et al, 552
Jensen V: *see* Holst-Nielsen and Jensen, 572
Johnston AD: *see* Schultz et al, 669
Joseph FR, Posner MA, Terzakis JA: Compartment syndrome caused by traumatized vascular hamartoma, 904

K

Karev A: "Belt loop" technique for reconstruction of pulleys in first stage of flexor tendon grafting, 923
Karr MA, Aulicino PL, DuPuy TE, Gwathmey FW: Osteochondromas of hand in hereditary multiple exostosis: report of case presenting as blocked proximal interphalangeal joint, 264
Kartchinov KD: Reconstruction and sensitization of amputated thumb, 478
Kashman N: *see* Mathiowetz et al, 222
Kawabata H, Tsuyuguchi Y, Kawai H, Yasui N: Melorheostosis of upper limb: report of two cases, 871
Kawai H: *see* Kawabata et al, 871
Kawai S: *see* Doi et al, 740
Kelly CM: *see* Freehafer et al, 887
Kessler FB, Epstein MJ, Culver JE, Prewitt J, Homsy CA: Proplast stabilized stemless trapezium implant, 227
Keyser JJ: *see* Eaton et al, 692
Khuri SM: *see* Sumner and Khuri, 711
Kischer CW, Speer DP: Microvascular changes in Dupuytren's contracture, 58
Klavans SM: *see* Aulicino et al, 820
Kleinert HE: *see* Seradge et al, 880
—*see* Tsai et al, 68
Kleinman WB, Petersen DP: Oblique retinacular ligament reconstruction for chronic mallet finger deformity, 399
Kling TF: *see* Shaffer et al, 73
Kohno T: *see* Hayashi et al, 96
Kojima T: *see* Hayashi et al, 96
Kolowich P: *see* Louis et al, 552

Koman LA, Nunley JA, Goldner JL, Seaber AV, Urbaniak JR: Isolated cold stress testing in assessment of symptoms in upper extremity: preliminary communications, 305
Koster G: Isolated aplasia of flexor pollicis longus: case report, 870
Krishnamurthy S: *see* Schultz et al, 669
Kulick MI, Brent B, Ross J: Free perichondrial graft from ear to knee in rabbits, 213
Kummer FJ: *see* Stuchin and Kummer, 718
Kutz JA: *see* Seradge et al, 880
Kutz JE: *see* Tsai et al, 68
Kuwata N: *see* Doi et al, 740

L

Lagier R, Chamay A: Localized Sudeck's dystrophy and distal interphalangeal osteoarthritis of finger: anatomicoradiologic study, 328
LaMont RL: *see* Greene et al, 536
Lane LB: *see* Belsky et al, 725
—*see* Eaton et al, 692
Lang DH: *see* Riley and Lang, 112
Lassmann G, Piza H: Nerve response after autotransplantation of rabbit ear, 121
Lazar GT: *see* Schulter-Ellis and Lazar, 490
Lesavoy MA, Meals RA: Pay phone receiver cord injuries to hand, 908
Leslie B: *see* Vander Grend et al, 677
Leung PC: *see* Chan et al, 548
—*see* Cheng et al, 155
Lichtman DM, Noble WH III, Alexander CE: Dynamic triquetrolunate instability: case report, 185
Lin E, Engel J, Bubis JJ, Herman O: Aneurysmal bone cyst of hamate bone, 847
Lin T-w: *see* Lu et al, 805
Linscheid RL: *see* Cooney et al, 777
—*see* Rangarathnam and Linscheid, 245
—*see* Reagan et al, 502
Lister GD: *see* Burns and Lister, 99
—*see* Lubahn et al, 53
—*see* Seradge et al, 880
Littler JW: *see* Eaton et al, 692
Louis DS, Greene TL, Jacobson KE, Rasmussen C, Kolowich P, Goldstein SA: Evaluation of normal values for stationary and moving tow-point discrimination in hand, 552
—, Hankin FM, Bowers WH: Capitate-radius arthrodesis: alternative method of radiocarpal arthrodesis, 365
Lu S-Y, Chiu H-Y, Lin T-w, Chen M-T: Evaluation of survival in digital replantation with thermometric monitoring, 805
Lubahn JD, Lister GD, Wolfe T: Fasciectomy of Dupuytren's disease: comparison between the open-palm technique and wound closure, 53
Lucas GL: Pattern of venous drainage of digits, 448
—, Sponsellar PD: Synovial chondrometaplasia of hand: case report and review of literature, 269

M

Ma GFY: *see* Chan et al, 548
—*see* Cheng et al, 155
McCarroll HR Jr: *see* Bray and McCarroll, 730
—*see* Dodge et al, 901
McConnell B III, Dell PC: Localization of osteoid osteoma nidus in finger by use of computed tomography: case report, 139
McCue FC III: *see* Morgan et al, 178
McDowell C: *see* Adelaar et al, 90
McGrath MH: Local steroid therapy in hand, 915
—*see* Fleischer and McGrath, 404
McGrouther DA: *see* Brown and McGrouther, 787
McKee NH: *see* Manktelow et al, 32
Mackinnon SE, Holder LE: Use of three-phase radionuclide bone scanning in diagnosis of reflex sympathetic dystrophy, 556
—*see* Dellon and Mackinnon, 423
MacLeod A: *see* Russell et al, 623
MacLeod AM: *see* Morrison et al, 4
—*see* O'Brien BMcC et al, 634
Madison SA: *see* Smith et al, 314
Mallerich MM: *see* Salibian et al, 799
Manktelow RT, Wainwright DJ: Technique of distraction osteosynthesis in hand, 858
—, Zuker RM, McKee NH: Functioning free muscle transplantation, 32
Manstein C: *see* Tsai et al, 68
Marich KW: *see* Hentz et al, 188
Mark MH: *see* Holtzman et al, 576
Master NT: *see* Caffee and Master, 193
Mathiowetz V, Weber K, Volland G, Kashman N: Reliability and validity of grip and pinch strength evaluations, 222
Matloub HS: *see* Vanik et al, 216
May JW Jr: Amputation stump closure—reconstructive procedure, not failure, 828
—Atkinson R, Rosen H: Traumatic arteriovenous fistula of thumb after blunt trauma: case report, 253
—, Donelan MB, Toth BA, Wall J: Thumb reconstruction in burned hand by advancement pollicization of second ray remnant, 484
—*see* Neimkin et al, 830
Meals RA: *see* Lesavoy and Meals, 808
Menon J, Wood VE, Schoene HR, Frykman GK, Hohl JC, Bestard EA: Isolated tears of triangular fibrocartilage of wrist: results of partial excision, 527
Merrell JC, Zook EG, Russell RC: Cuffing techniques in microarterial surgery, 76
Millender LH: *see* Bowe et al, 738
—*see* Glickel and Millender, 514
Miller BW: *see* Taleisnik et al, 495
Minami M, Yamazaki J, Ishii S: Isolated dislocation of pisiform: case report and review of literature, 125
Miura T: Congenital constriction band syndrome, 82
— Congenital familial hypoplastic thumb associated with congenital amputation of toe, 420
Moneim MS, Gribble TJ: Carpal tunnel syndrome in hemophilia, 580
Moore JR, Weiland AJ, Curtis RM: Localized nodular tenosynovitis: experience with 115 cases, 412
Morgan RF, Nichter LS, Friedman HI, McCue FC III: Rodeo roping thumb injuries, 178
Morgan W, Groves RJ: Scapholunate dissociation from fall on elbow, 845
Morrison WA, O'Brien BMcC, MacLeod AM: Ring finger transfer in reconstruction of transmetacarpal amputations, 4
—*see* O'Brien BMcC et al, 634
—*see* Russell et al, 623
Mosher JF: *see* Riester and Mosher, 278
Mulliken JB: *see* Upton et al, 388
Myrie C: *see* Fleeter et al, 764

N

Nachemson A: *see* Almquist et al, 792

Nathan PA: Double V-Y flap for correction of proximal interphalangeal joint flexion contractures, 48
Neimkin RJ, May JW Jr, Roberts J, Sunder N: Continuous axillary block through indwelling Teflon catheter, 830
Nelson OA, Buchanan JR, Harrison CS: Distal ulnar growth arrest, 164
Nichter LS: *see* Morgan et al, 178
Niebauer JJ: *see* Dodge et al, 901
Nielsen PT, Hedeboe J: Posttraumatic scapholunate dissociation detected by wrist cineradiography, 135
Nissenbaum M: Class IIA ring avulsion injuries: absolute indication for microvascular repair, 810
Noble WH III: *see* Lichtman et al, 185
Nunley JA: *see* Koman et al, 305
Nyquist SR, Stern PJ: Open radiocarpal fracture-dislocations, 707

O

O'Brien BMcC, Gould JS, Morrison WA, Russell RC, MacLeod AM, Pribaz JJ: Free vascularized small joint transfer to hand, 634
—*see* Morrison et al, 4
—*see* Russell et al, 623
Ogunro O: Restoration of sensibility to thumb by technique of digital nerve advancement: new surgical procedure, 440
Omer GE Jr: *see* White and Omer, 181

P

Palmer AK, Glisson RR, Werner FW: Relationship between ulnar variance and triangular fibrocartilage complex thickness, 681
Palmer RE: Eosinophilic granuloma of hand: case report, 283
Palmieri TJ: Chondrosarcoma of hand, 332
Pamamull G: *see* Russell et al, 623
Patel MR, Zinberg EM: Pigmented villonodular synovitis of wrist invading bone—report of case, 854
—*see* Holtzman et al, 576
Peckham H: *see* Freehafer et al, 887
Peimer CA, Sullivan DJ, Wild DR: Palmar dislocation of proximal interphalangeal joint, 39
—*see* Cham et al, 434
Petersen DP: *see* Bush and Schneider, 399
—*see* Steichen and Petersen, 674
Piza H: *see* Lassmann and Piza, 121
Posch JL: *see* Ames and Posch, 876
Posner MA, Green SM: Intraosseous ganglion of phalanx, 280
—*see* Joseph et al, 904
Prewitt J: *see* Kessler et al, 227
Pribaz JJ: *see* O'Brien BMcC et al, 634
Puckett CL: *see* Reinisch et al, 12

R

Ranawat CS: *see* Gartsman and Ranawat, 275
Rangarathnam CS, Linscheid RL: Infected mucous cyst of finger, 245
Rasmussen C: *see* Louis et al, 552
Rayan GM: Congenital hypoplastic thumb with absent thenar muscles: anomalous digital neurovascular bundle, 665
Rayhack JM, Belsole RJ, Skelton WH Jr: Strain recording model: analysis of transverse osteotomy fixation in small bones, 383
Reagan DS, Linscheid RL, Dobyns JH: Lunotriquetral sprains, 502
Reinisch JF, Winters R, Puckett CL: Use of osteocutaneous groin flap in gunshot wounds of hand, 12
Richards RR, Urbaniak JR: Spontaneous retrocarpal radial artery thrombosis: report of two cases, 823
Riester J, Mosher JR: Osteoid osteoma of capitate: case report, 278
Riley DA, Lang DH: Carbonic anhydrase activity of human peripheral nerves: possible histochemical aid to nerve repair, 112
Roberts J: *see* Neimkin et al, 830
Roncagliolo A: *see* Fossati et al, 898
Rose EH: Reconstruction of central metacarpal ray defects of hand with free vascularized double metatarsal and metatarsophalangeal joint transfer, 28
Rosen H: *see* May et al, 253
Rosen J: *see* Gordon et al, 642
Ross J: *see* Kulick et al, 213
Ruby LK: *see* Vander Grend et al, 677
Ruderman RJ: *see* Fitch et al, 417
Russell RC, O'Brien BMcC, Morrison WA, Pamamull G, MacLeod A: Late functional results of upper limb revascularization and replantation, 623
—*see* Merrell et al, 76
—*see* O'Brien BMcC et al, 634
—*see* Zook et al, 247
Ryu J: *see* Ballet et al, 590

S

Sadr B: Sequential rupture of extensor tendons after Colles fracture, 144
Saletan S: *see* Ellstein et al, 346
Salibian AH, Anzel SH, Mallerich MM, Tesoro VE: Microvascular reconstruction for close-range gunshot injuries to distal forearm, 799
Sanger JR: *see* Vanik et al, 216
Schenck RR, Cheema TA: Hypothenar skin graft for fingertip reconstruction, 750
Schneider LH: *see* Bush and Schneider, 391
Schoene HR: *see* Menon et al, 527
Schulter-Ellis FP, Lazar GT: Internal morphology of human phalanges, 490
Schultz RJ, Krishnamurthy S, Johnston AD: Gross anatomic and histologic study of innervation of proximal interphalangeal joint, 669
Schwartz IS: *see* Williams et al, 583
Seaber AV: *see* Garrett et al, 683
—*see* Koman et al, 305
Seradge H, Kutz JA, Kleiner HE, Lister GD, Wolff TW, Atasoy E: Perichondrial resurfacing arthroplasty in hand, 880
Shaffer JW, Kling TF, Wilber RG, Field GA, Williams HJ: Patency of anastomosed arteries and veins subjected to reapplication of microvascular clamps, 73
—*see* Wilber et al, 649
Shaffer WO, Aulicino PL, DuPuy TE: Upper extremity gangrene of newborn infant, 88
Shankman GB: *see* Goodman and Shankman, 127
Sheppard JE: *see* Dell and Sheppard, 653
Singer R: *see* Tsai and Singer, 816
Silver RL: *see* Hastings and Silver, 834
Skelton WH Jr: *see* Rayhack et al, 383
Smith AG: *see* Haher et al, 243
Smith DJ Jr, Bendick PJ, Madison SA: Evaluation of vascular compromise in injured extremity: photoplethysmographic technique, 314
Smith RJ: *see* Clendenin and Smith, 374
Speer DP: *see* Kischer and Speer, 58
Sponsellar PD: *see* Lucas and Sponsellar, 269
Stackhouse TG, Weiland AJ: Extraosseous chondrosarcoma of wrist: case report, 338

Stark HH: *see* Stevanovic and Stark, 714
Steichen JB, Petersen DP: Junctura tendinum between extensor digitorum communis and extensor pollicis longus, 674
Stern PJ: Transscaphoid-lunate dislocation: report of two cases, 370
—*see* Nyquist and Stern, 707
Stevanovic MV, Stark HH: Dorsal dislocation of fourth and fifth carpometacarpal joints and simultaneous dislocation of metacarpophalangeal joint of small finger: case report, 714
Stracher A: *see* Hurst et al, 564
Strickland JW: *see* Greene and Strickland, 758
Stuchin SA, Kummer FJ: Stiffness of small-bone external fixation methods: experimental study, 718
Sullivan DJ: *see* Peimer et al, 39
Sumner JM, Khuri SM: Entrapment of median nerve and flexor pollicis longus tendon in epiphyseal fracture-dislocation of distal radioulnar joint: case report, 711
Sunder N: *see* Neimkin et al, 830
Sunderland SS: Nerve repair, 1
Swanson AB, Tada K, Yonenobu K: Ulnar ray deficiency: its various manifestations, 658
Swartz WM: Immediate reconstruction of wrist and dorsum of hand with free osteocutaneous groin flap, 18
Szabo RM, Gelberman RH, Williamson RV, Dellon AL, Yaru NC, Dimick MP: Vibratory sensory testing in acute peripheral nerve compression, 104
—*see* Taleisnik et al, 495

T

Tada K: *see* Swanson et al, 658
Taleisnik J, Gelberman RH, Miller BW, Szabo RM: Extensor retinaculum of wrist, 495
—, Watson HK: Mid carpal instability caused by malunited fractures of distal radius, 350
Tallroth K: *see* Vahvanen and Tallroth, 531
Terzakis JA: *see* Joseph et al, 904
Tesoro VE: *see* Salibian et al, 799
Thambyrajah K: *see* Youm et al, 202
Thirupathi RG, Ferlic DC, Clayton ML: Sparing effect of tendon injury on osteoarthritis, 592
Toth BA: *see* May et al, 484
Tsai T-M, Manstein C, DuBou R, Wolff TW, Kutz JE, Kleinert HE: Primary microsurgical repair of ring avulsion amputation injuries, 68
—, Singer R: Elective free vascularized double transfer of toe joint from second toe to proximal interphalangeal joint of index finger: case report, 816
Tsuyuguchi Y: *see* Kawabata et al, 871

U

Upton J, Boyajian M, Mulliken JB, Glowacki J: Use of demineralized xenogeneic bone implants to correct phalangeal defects: case report, 388
Urbaniak JR: *see* Fitch et al, 417
—*see* Garrett et al, 683
—*see* Koman et al, 305
—*see* Richard and Urbaniak, 823

V

Vahvanen V, Tallroth K: Arthrodesis of wrist by internal fixation in rheumatoid arthritis: follow-up study of forty-five consecutive cases, 531
Vander Grend R, Dell PC, Glowczewskie F, Leslie B, Ruby LK: Intraosseous blood supply of capitate and its correlation with aseptic necrosis, 677
Vanik RK, Weber RC, Matloub HS, Sanger JR, Gingrass RP: Comparative strengths of internal fixation techniques, 216
Vathana P: Primary hemangiopericytoma of bone in hand: case report, 761
Vercauteren M: *see* De Smet and Vercauteren, 717
Volland G: *see* Mathiowetz et al, 222

W

Wainwright DJ: *see* Manktelow and Wainwright, 858
Wall J: *see* May et al, 484
Walsh WP: *see* Cham et al, 434
Watson HK, Ballet FL: SLAC wrist: scapholunate advanced collapse pattern of degenerative arthritis, 358
—, Beebe RD, Cruz NI: Centralization procedure for radial clubhand, 541
—*see* Ballet et al, 590
—*see* Taleisnik and Watson, 350
Weber K: *see* Mathiowetz et al, 222
Weber RC: *see* Vanik et al, 216
Weiland AJ: *see* Bieber and Weiland, 840
—*see* Moore et al, 412
—*see* Stackhouse and Weiland, 338
—*see* White and Weiland, 704
Werner FW: *see* Palmer et al, 681
White GM, Weiland AJ: Symptomatic palmar tendon subluxation after surgical release for de Quervain's disease: case report, 704
White RE Jr, Omer GE Jr: Transient vascular compromise of lunate after fracture-dislocation or dislocation of carpus, 181
Wiener LM: *see* Holtzman et al, 576
Wilber RG, Shaffer JW, Field GA: Effect of redundancy and tension on microvascular vein grafts, 649
—*see* Shaffer et al, 73
Wild DR: *see* Peimer et al, 39
Wilgis EFS: *see* Yaremchuk et al, 910
Williams GD, Hoffman S, Schwartz IS: Malignant transformation in plexiform neurofibroma of median nerve, 583
Williams HJ: *see* Shaffer et al, 73
Williamson RV: *see* Szabo et al, 104
Wilson CS, Buncke HJ, Alpert BS, Gordon L: Composite metacarpophalangeal joint reconstruction in great toe-to-hand free tissue transfers, 645
Winters R: *see* Reinisch et al, 12
Wittels NP, Donley JM, Burkhalter WE: Functional treatment method for interphalangeal pyogenic arthritis, 894
Wolfe T: *see* Lubahn et al, 53
Wolff TW: *see* Seradge et al, 880
—*see* Tsai et al, 58
Wood FM: *see* Dahners and Wood, 579
Wood VE, Adams J: Complications of opponensplasty with transfer of extensor carpi ulnaris to extensor pollicis brevis, 699
—*see* Menon et al, 527

X

Xeller C: *see* Ellstein et al, 346

Y

Yamazaki J: *see* Minami et al, 125

Yaremchuk MJ, Elias LS, Graham RR, Wilgis EFS: Sweat gland carcinoma of the hand: two cases of malignant eccrine spiradenoma, 910
Yaru NC: *see* Szabo et al, 104
Yasui N: *see* Kawabata et al, 871
Yonenobu K: *see* Swanson et al, 658
Youm Y, Thambyrajah K, Flatt AE: Tendon excursion of wrist movers, 202

Z

Zahrawi F: Acute compression ulnar neuropathy at Guyon's canal resulting from lipoma, 238
Zielinski CJ, Bora FW Jr: *Vibrio* hand infections: case report and review of literature, 754
Zinberg EM: *see* Patel and Zinberg, 854
Zook EG, Guy RJ, Russell RC: Study of nail bed injuries: causes, treatment, and prognosis, 247
—*see* Merrell et al, 76
Zuker RM: *see* Manktelow et al, 32

Subject Index*

A

Aid to nerve repair, possible histochemical: carbonic anhydrase activity of human peripheral nerves (Riley and Lang), 112
Alumina ceramic finger implants: preliminary biomaterial and clinical evaluation (Doi et al), 740
Amputation(s) injuries, ring avulsion, primary microsurgical repair of (Tsai et al), 68
  of toe, congenital familial hypoplastic thumb associated with congenital (Miura), 420
  stump closure—reconstructive procedure, not failure (May), 828 (Sterling Bunnell traveling fellowship report—1983)
  transmetacarpal, ring finger transfer in reconstruction of (Morrison et al), 4
Anatomic and biomechanical study of tendon transfers: opposition of thumb (Cooney et al), 777
  and histologic study, gross, of innervation of proximal interphalangeal joint (Schultz et al), 669
Anatomicoradiologic study: localized Sudeck's dystrophy and distal interphalangeal osteoarthritis of finger (Lagier and Chamay), 328
Anconeus epitrochlearis, rare cause of cubital tunnel syndrome: case report (Dahners and Wood), 579
Aneurysm true, of thumb digital artery (Dangles), 444
Aneurysmal bone cyst of hamate bone (Lin et al), 847
Anomalies, unilateral, method of treatment for, of upper limb in Chinese children: Krukenberg procedure (Chan et al), 548
Aplasia, isolated, of flexor pollicis longus: case report (Köster), 870
Argon laser, evaluation of use of, in repairing rat and primate nerves (Almquist et al), 792
Arteries and veins, anastomosed, patency of, subjected to reapplication of microvascular clamps (Shaffer et al), 73
  persistent median, digital ischemia secondary to thrombosis of (Aulicino et al), 820
  thrombosis, spontaneous retrocarpal radial: report of two cases (Richards and Urbaniak), 823
  thumb digital, true aneurysm of (Dangles), 444
Arteriovenous fistula, traumatic, of thumb after blunt trauma: case report (May et al), 253
Arthritis, degenerative, SLAC wrist: scapholunate advanced collapse pattern of (Watson and Ballet), 358
  interphalangeal pyogenic, functional treatment method for (Wittels et al), 894
  rheumatoid, arthrodesis of wrist by internal fixation: follow-up study of forty-five consecutive cases (Vahvanen and Tallroth), 531
    dorsal carpal dislocation and flexor tendon rupture in: case report (Craig and House), 261
  trapezial, bilateral partial ruptures of flexor carpi radialis tendon secondary to (Bowe et al), 738
Arthrodesis, capitate-radius: alternative method of radiocarpal arthrodesis (Louis et al), 365
  fifth metacarpal/hamate, for posttraumatic osteoarthritis (Clendenin and Smith), 374

*January, pp 1-154; March, pp 155-304; May, pp 305-462; July, pp 463-622; September, pp 623-776; November, pp 777-954.

  intercarpal in management of chronic carpal instability after trauma (Hastings and Silver), 834
  of wrist by internal fixation in rheumatoid arthritis: follow-up study of forty-five consecutive cases (Vahvanen and Tallroth), 531
  radiocarpal, alternative method of: capitate-radius arthrodesis (Louis et al), 365
  wrist, in nonrheumatoid patient, multiple stapling for (Benkeddache et al), 256
Arthroplasty in hand, perichondrial resurfacing (Seradge et al), 880
  soft tissue, and inlay bone grafting, evaluation of results after: surgical treatment of scaphoid pseudarthrosis (Boeckstyns and Busch), 378
Aseptic necrosis, intraosseous blood supply of capitate and its correlation with (Vander Grend et al), 677
Atherosclerosis of forearm and hand (Caffee and Master), 193
Autotransplantation of rabbit ear, nerve response after (Lassmann and Piza), 121
Avulsion injuries, class IIA ring: absolute indication for microvascular repair (Nissenbaum), 810
  ring, amputation injuries, primary microsurgical repair of (Tsai et al), 68
Axillary block, continuous, through indwelling Teflon catheter (Neimkin et al), 830

B

"Belt loop" technique for reconstruction of pulleys in first stage of flexor tendon grafting (Karev), 923
Biomechanical and anatomic study of tendon transfers: opposition of thumb (Cooney et al), 777
Blocks, wrist and metacarpal nerve, neuropathy after bupivacaine (Marcaine) (Born), 109
Blood supply, intraosseous, of capitate and its correlation with aseptic necrosis (Vander Grend et al), 677
Bone(s) cyst, aneurysmal, of hamate bone (Lin et al), 847
  grafting, delayed primary, in hand and wrist after traumatic bone loss (Freeland et al), 22
  grafting, inlay, and soft tissue arthroplasty, evaluation of results after: surgical treatment of scaphoid pseudarthrosis (Boeckstyns and Busch), 378
  grafts, vascularized, in treatment of infected forearm nonunions (Dell and Sheppard), 653
  implants, demineralized xenogeneic, use of, to correct phalangeal defects: case report (Upton et al), 388
  in hand, promary hemangiopericytoma of: case report (Vathana), 758
  loss, delayed primary bone grafting in hand and wrist after traumatic (Freeland et al), 22
  pigmented villonodular synovitis of wrist invading: report of case (Patel and Zinberg), 854
  scanning, use of three-phase radionuclide, in diagnosis of reflex sympathetic dystrophy (Mackinnon and Holder), 556
  small, analysis of transverse osteotomy fixation in: strain recording model (Rayhack et al), 383
  small, external fixation methods, stiffness of: experimental study (Stuchin and Kummer), 718

Book reviews, 148, 298, 454, 615, 769, 925
Branch, superficial, of radial nerve, lymphatic compression of—case report (Fossati et al), 898
Bupivacaine (Marcaine) wrist and metacarpal nerve blocks, neuropathy after (Born), 109

C

Calcinosis of flexor and extensor tendons in dermatomyositis—case report (Ames and Posch), 876
universalis, case report of (Haher et al), 243
Capitate and its correlation with aseptic necrosis, intraossious blood supply of (Vander Grend et al), 677
giant cell tumor of (Howard and Lassen), 272
osteoid osteoma of: case report (Riester and Mosher), 278
radius arthrodesis: alternative method of radiocarpal arthrodesis (Louis et al), 365
Carbonic anhydrase activity of human peripheral nerves: possible histochemical aid to nerve repair (Riley and Lang), 112
Carcinoma, sweat gland, of hand: two cases of malignant eccrine spiradenoma (Yaremchuk et al), 910
Carpal dislocation, dorsal, and flexor tendon rupture in rheumatoid arthritis: case report (Craig and House), 261
instability, chronic, after trauma, intercarpal arthrodesis in management of (Hastings and Silver), 834
technique for anterior wedge-shaped grafts for scaphoid nonunions with (Fernandez), 733
tunnel injection, diagnostic and therapeutic value of (Green), 850
syndrome in hemophilia (Moneim and Gribble), 580
Carpi radialis tendon, flexor, secondary to trapezial arthritis, bilateral partial ruptures of (Bowe et al), 738
ulnaris, extensor, to extensor pollicis brevis, complications of opponensplasty with transfer of (Wood and Adams), 699
Carpometacarpal joints, fourth and fifth, and simultaneous dislocation of matacarpophalangeal joint of small finger, dorsal dislocation of: case report (Stevanovic and Stark), 714
level, thumb loss at, free microvascular transfer of second toe ray and serratus anterior muscle for management of (Gordon et al), 642
painful thumb, ligament reconstruction for: long-term assessment (Eaton et al), 692
Carpus, transient vascular compromise of lunate after fracture-dislocation or dislocation of (White and Omer), 181
Catheter, indwelling Teflon, continuous axillary block through (Neimkin et al), 830
Cell, giant, tumor of thumb metacarpal in elderly patient: case report (Henard), 343
soft tissue T, lymphoma of forearm: case report (Ellstein et al), 346
tumor, giant, of capitate (Howard and Lassen), 272
Changes, microvascular, in Dupuytren's contracture (Kischer and Speer), 58
Chondromatosis, synovial, of distal radioulnar joint (Ballet et al), 590
Chondrometaplasia, synovial, of hand: case report and review of literature (Lucas and Sponsellar), 269
Chondrosarcoma, extraosseous, of wrist: case report (Stackhouse and Weiland), 338
of hand (Palmieri), 332
Cineradiography, wrist, posttraumatic scapholunate dissociation detected by (Nielsen and Hedeboe), 135
Clamps, microvascular, patency of anastomosed arteries and veins subjected to reapplication of (Shaffer et al), 73
Closure, wound, and open-palm technique, comparison between: fasiectomy and Dupuytren's disease (Lubahn et al), 53
Clubhand, radial, centralization procedure for (Watson et al), 541
Collapse pattern, advanced, scapholunate, of degenerative arthritis: SLAC wrist (Watson and Ballet), 358
Colles fracture, sequential rupture of extensor tendons after (Sadr), 144
Compression, acute peripheral nerve, vibratory sensory testing in (Szabo et al), 104
ulnar neuropathy at Guyon's canal resulting from lipoma (Zahrawi), 238
extrinsic: localized constrictive radial neuropathy in absence of, three cases (Burns and Lister), 99
Compromise, transient vascular, of lunate after fracture-dislocation or dislocation of carpus (White and Omer), 181
vascular, evaluation of, in injured extremity: photoplethysmographic technique (Smith et al), 314
Congenital constriction band syndrome (Miura), 82
familial hypoplastic thumb associated with congenital amputation of toe (Miura), 420
hypoplastic thumb with absent thenar muscles: anomalous digital neurovascular bundle (Rayan), 665
insensitivity of hand, clinical manifestations of, and classification of syndromes (Gwathmey and House), 863
Constriction band syndrome, congenital (Miura), 82
Constrictive radial neuropathy, localized, in absence of extrinsic compression: three cases (Burns and Lister), 99
Contracture(s), Dupuytren's, microvascular changes in (Kischer and Speer), 58
proximal interphalangeal joint, flexion, double V-Y flap for correction of (Nathan), 48
Cord injur(ies), cervical spinal, tendon transfer for restoration of upper limb function after (Freehafer et al), 887
pay phone receiver, to hand (Lesavoy and Meals), 908
Cryosurgery, treatment of osteoid osteoma of proximal phalanx by use of (Gartsman and Ranawat), 275
Cubital tunnel syndrome, anconeus epitrochlearis, rare cause of: case report (Dahners and Wood), 579
case of, caused by snapping of medial head of triceps brachii muscle (Hayashi et al), 96
treatment of (Adelaar et al), 90
Cuffing techniques in microarterial surgery (Merrell et al), 76
Cyst(s), infected mucous, of finger (Rangarathnam and Linscheid), 245
treatment of mucous: long-term follow-up in sixty-two cases (Dodge et al), 901

D

Defects, both large and small, of upper extremity, double Z-rhombic repair of (Cuono), 197
central metacarpal ray, of hand, reconstruction of, with free vascularized double metatarsal and metatarsophalangeal joint transfer (Rose), 28
phalangeal, use of demineralized xenogeneic bone implants to correct: case report (Upton et al), 388
Deformities, chronic mallet finger, oblique retinacular ligament reconstruction for (Kleinman and Petersen), 399
mallet finger, molded polythene splint for (Crawford), 231
Degeneration, neural and muscle, inhibition of, after epineural neurorrhaphy (Hurst et al), 564
Degenerative arthritis, scapholunate advanced collapse pattern of: SLAC wrist (Watson and Ballet), 358

Demineralized xenogeneic bone implants, use of, to correct phalangeal defects: case report (Upton et al), 388
de Quervain's disease, symptomatic palmar tendon subluxation after surgical release for: case report (White and Weiland), 704
Dermatomyositis, calcinosis of flexor and extensor tendons in—case report (Ames and Posch), 876
Diagnostic and therapeutic value of carpal tunnel injection (Green), 850
Digital artery, thumb, true aneurysm of (Dangles), 444
  nerve advancement, restoration of sensibility to thumb by technique of: new surgical procedure (Oguuro), 440
  neurovascular bundle, anomalous: congenital hypoplastic thumb with absent thenar muscles (Rayan), 665
  replantation, evaluation of survival in, with thermometric monitoring (Lu et al), 805
  retractor, new (Earley), 922
Digitorum communis, extensor, and extensor pollicis longus, junctura tendinum between (Steichen and Petersen), 674
Digits, pattern of venous drainage of (Lucas), 448
  revascularization of, after thirty-three hours of warm ischemia time: case report (Chiu and Chen), 63
Discrimination, stationary and moving two-point, in hand, evaluation of normal values for (Louis et al), 552
Disease, de Quervain's, symptomatic palmar tendon subluxation after surgical release for: case report (White and Weiland), 704
  Dupuytren's, and fasciectomy: comparison between open-palm technique and wound closure (Lubahn et al), 53
  Preiser's: case report (Bray and McCarroll), 730
Dislocation, dorsal carpal, and flexor tendon rupture in rheumatoid arthritis: case report (Craig and House), 261
  of fourth and fifth carpometacarpal joints and simultaneous dislocation of metacarpophalangeal joint of small finger: case report (Stevanovic and Stark), 714
  isolated, of pisiform: case report and review of literature (Minami et al), 125
  or fracture-dislocation of carpus, transient vascular compromise of lunate after (White and Omer), 181
  palmar, of proximal interphalangeal joint (Peimer et al), 39
  of proximal interphalangeal joint requiring open reduction: case report (De Smet and Vercauteren), 717
  of trapezoid: update—case report (Goodman and Shankman), 127
  transscaphoid-lunate: report of two cases (Stern), 370
  traumatic dorsal, of triquetrum: case report (Bieber and Weiland), 840
Dissociation, posttraumatic scapholunate, detected by wrist cineradiography (Nielsen and Hedeboe), 135
  scapholunate, from fall on elbow (Morgan and Groves), 845
Distal ulnar growth arrest (Nelson et al), 164
Distraction osteosynthesis in hand, technique of (Manktelow and Wainwright), 858
Dorsal carpal dislocation and flexor tendon rupture in rheumatoid arthritis: case report (Craig and House), 261
  forearm, exercise-induced compartment syndrome of—case report (Imbriglia and Boland), 142
Dorsum and wrist of hand, immediate reconstruction of, with free osteocutaneous groin flap (Swartz), 18
Drainage, venous, of digits, pattern of (Lucas), 448
Dupuytren's contracture, microvascular changes in (Kischer and Speer), 58
  disease and fasciectomy: comparison between the open-palm technique and wound closure (Lubahn et al), 53
Dysplasia, fibrous, of metacarpal: case report (Hayter and Becton), 587
Dystrophy, reflex sympathetic, use of three-phase radionuclide bone scanning in diagnosis of (Mackinnon and Holder), 556
  Sudeck's, localized, and distal interphalangeal osteoarthritis of finger: anatomicoradiologic study (Lagier and Chamay), 328

E

Elbow, scapholunate dissociation from fall on (Morgan and Groves), 845
Eosinophilic granuloma of hand: case report (Palmer), 283
Epineural neurorrhapy, inhibition of neural and muscle degeneration after (Hurst et al), 564
Epiphyseal fracture-dislocation of distal radioulnar joint, entrapment of median nerve and flexor pollicis longus tendon in: case report (Sumner and Khuri), 711
Evaluations, grip and pinch strength, reliability and validity of (Mathiowetz et al), 222
  of normal values for stationary and moving two-point discrimination in hand (Louis et al), 552
Excursion of tendon of flexor pollicis longus and its relation to dynamic splintage (Brown and McGrouther), 787
  tendon, of wrist movers (Youm et al), 202
Exostosis, hereditary multiple, osteochondromas of hand in: report of case presenting as blocked proximal interphalangeal joint (Karr et al), 264
Extensor and flexor, conjoined, pollicis longus tendons in hypoplastic thumb (Fitch et al), 417
  retinaculum of wrist (Taleisnik et al), 495
  tendons, sequential rupture of, after Colles fracture (Sadr), 144
Extraosseous chondrosarcoma of wrist: case report (Stackhouse and Weiland), 338
Extremity, injured, evaluation of vascular compromise in: photoplethysmographic technique (Smith et al), 314
  upper, isolated cold stress testing in assessment of symptoms in: preliminary communication (Koman et al), 305
Extrinsic compression: localized constrictive radial neuropathy in absence of, three cases (Burns and Lister), 99

F

Familial, congenital, hypoplastic thumb associated with congenital amputation of toe (Miura), 420
Fasciectomy and Dupuytren's disease: comparison between open-palm technique and wound closure (Lubahn et al), 53
Fibrocartilage complex thickness, triangular, and ulnar variance, relationship between (Palmer et al), 681
  triangular, of wrist, isolated tears of: results of partial excision (Menon et al), 527
Fibroma of tendon sheath (Greene and Strickland), 758
Finger deformity, chronic mallet, oblique retinacular ligament reconstruction for (Kleinman and Petersen), 399
  deformities, mallet, molded polythene splint for (Crawford), 231
  distal interphalangeal osteoarthritis of, and localized Sudeck's dystrophy: anatomicoradiologic study (Lagier and Chamay), 328
  implants, alumina ceramic: preliminary biomaterial and clinical evaluation (Doi et al), 740
  index, elective free vascularized double transfer of toe joint from second toe to proximal interphalangeal joint of: case report (Tsai and Singer), 816

Finger deformity—cont'd
infected mucous cyst of (Rangarathnam and Linscheid), 245
localization of osteoid osteoma nidus in, by use of computed tomography: case report (McConnell and Dell), 139
small, dorsal dislocation of fourth and fifth carpometacarpal joints and simultaneous dislocation of the metacarpophalangeal joint of: case report (Stevanovic and Stark), 714
transfer ring, in reconstruction of transmetacarpal amputations (Morrison et al), 4
ulcers, sclerodermal, management of (Gahhos et al), 320
Fingertip reconstruction, hypothenar skin grafts for (Schenck and Cheema), 750
Fistula, traumatic arteriovenous, of thumb after blunt trauma: case report (May et al), 253
Fixation, internal, and closed reduction of proximal phalangeal fractures (Belsky et al), 725
internal, arthrodesis of wrist by, in rheumatoid arthritis: follow-up study of forty-five consecutive cases (Vahvanen and Tallroth), 531
methods, small-bone external, stiffness of: experimental study (Stuchin and Kummer), 718
techniques, internal, comparative strengths of (Vanik et al), 216
transverse osteotomy analysis of, in small bones: strain recording model (Rayhack et al), 383
Flap, double V-Y for correction of proximal interphalangeal joint flexion contractures (Nathan), 48
free osteocutaneous groin, immediate reconstruction of wrist and dorsum of hand with (Swartz), 18
osteocutaneous groin, use of, in gunshot wounds of hand (Reinisch et al), 12
pronator quadratus muscle (Dellon and Mackinnon), 423
Flexion contractures, proximal interphalangeal joint, double V-Y flap for correction of (Nathan), 48
Flexor and extensor, conjoined, pollicis longus tendons in hypoplastic thumb (Fitch et al), 417
pollicis longus, excursion of tendon of, and its relation to dynamic splintage (Brown and McGrouther), 787
isolated aplasia of: case report (Köster), 870
vinculum system, anatomy of (Armenta and Fisher), 210
tendon repair in no-man's-land: results of primary repair with controlled mobilization (Ejeskär), 171
rupture and dorsal carpal dislocation in rheumatoid arthritis: case report (Craig and House), 261
tenosynovitis, steroid injection for (Carlson and Curtis), 286
Forearm and hand, atherosclerosis of (Caffee and Master), 193
distal, microvascular reconstruction for close-range gunshot injuries to (Salibian et al), 799
dorsal, exercise-induced compartment syndrome of—case report (Imbriglia and Boland), 142
nonunions, infected, vascularized bone grafts in treatment of (Dell and Sheppard), 653
soft tissue T cell lymphoma of: case report (Ellstein et al), 346
ulnar nerve entrapment neuropathy in (Holtzman et al), 576
Fracture(s), Colles, sequential rupture of extensor tendons after (Sadr), 144
dislocation(s), epiphyseal, of distal radioulnar joint, entrapment of median nerve and flexor pollicis longus tendon in: case report (Sumner and Khuri), 711
or dislocation of carpus, transient vascular compromise of lunate after (White and Omer), 181
open radiocarpal (Nyquist and Stern), 707
displaced vertical, of trapezium treated with small cancellous lag screw (Freeland and Finley), 843
Fracture(s)—cont'd
malunited, of distal radius, midcarpal instability caused by (Taleisnik and Watson), 350
proximal phalangeal, closed reduction and internal fixation of (Belsky et al), 725
Function, upper limb, after cervical spinal cord injury, tendon transfer for restoration of (Freehafer et al), 887

G

Ganglion, intraosseous, of phalanx (Posner and Green), 280
Gangrene, upper extremity, of newborn infant (Shaffer et al), 88
Giant cell tumor of capitate (Howard and Lassen), 272
of thumb metacarpal in elderly patient: case report (Henard), 343
Gland, sweat, carcinoma of hand: two cases of malignant eccrine spiradenoma (Yaremchuk et al), 910
Grafting, bone, delayed primary, in hand and wrist after traumatic bone loss (Freeland et al), 22
flexor tendon, "belt loop" technique for reconstruction of pulleys in first stage of (Karev), 923
Grafts, anterior wedge-shaped, for scaphoid nonunions with carpal instability, technique for (Fernandez), 733
free perichondrial, from ear to knee in rabbits (Kulick et al), 213
hypothenar skin, for fingertip reconstruction (Schenck and Cheema), 750
microvascular vein, effect of redundancy and tension on (Wilber et al), 649
vascularized bone, in treatment of infected forearm nonunions (Dell and Sheppard), 653
Granuloma, eosinophilic, of hand: case report (Palmer), 283
Groin flap, free osteocutaneous, immediate reconstruction of wrist and dorsum of hand with (Swartz), 18
osteocutaneous, use of, in gunshot wounds of hand (Reinisch et al), 12
Growth arrest, distal ulnar (Nelson et al), 164
Gunshot injuries, close-range, to distal forearm, microvascular reconstruction for (Salibian et al), 799
wounds of hand, use of osteocutaneous groin flap in (Reinisch et al), 12
Guyon's canal, acute compression ulnar neuropathy at, resulting from lipoma (Zahrawi), 238

H

Hamartoma, traumatized vascular, compartment syndrome caused by (Joseph et al), 904
Hamate bone, aneurysmal bone cyst of (Lin et al), 847
/metacarpal, fifth, arthrodesis for posttraumatic osteoarthritis (Clendenin and Smith), 374
Hand and forearm, atherosclerosis of (Caffee and Master), 193
and wrist, delayed primary bone grafting in, after traumatic bone loss (Freeland et al), 22
tuberculosis of (Bush and Schneider), 391
burned, thumb reconstruction in, by advancement pollicization of second ray remnant (May et al), 484
chondrosarcoma of (Palmieri), 332
clinical manifestations of congenital insensitivity of, and classification of syndromes (Gwathmey and House), 863
eosinophilic granuloma of: case report (Palmer), 283
local steroid therapy in (McGrath), 915 (Review article)
new high-pressure injection injury of (Craig), 240
osteochondromas of, in hereditary multiple exostosis: report of case presenting as blocked proximal interphalangeal joint (Karr et al), 264

Hand and forearm—cont'd
pay phone receiver cord injuries to (Lesavoy and Meals), 908
Perichondrial resurfacing arthroplasty in (Seradge et al), 880
rheumatoid nodulosis of (Fleischer and McGrath), 404
sweat gland carcinoma of: two cases of malignant eccrine spiradenoma (Yaremchuk et al), 910
synovial chondrometaplasia of: case report and review of literature (Lucas and Sponsellar), 269
technique of distraction osteosynthesis in (Manktelow and Wainwright), 858
with metallic mercury, injury to (Baruch and Haas), 446
wrist and dorsum of, immediate reconstruction of, with free osteocutaneous groin flap (Swartz), 18
Hemangiopericytoma, primary, of bone in hand: case report (Vathana), 761
Hemophilia, carpal tunnel syndrome in (Moneim and Gribble), 580
Hereditary multiple exostosis, osteochondromas of hand in: report of case presenting as blocked proximal interphalangeal joint (Karr et al), 264
Histologic and anatomic study, gross, of innervation of proximal interphalangeal joint (Schultz et al), 669
Hypoplastic thumb, congenital familial, associated with congenital amputation of toe (Miura), 420
with absent thenar muscles: anomalous digital neurovascular bundle (Rayan), 665
conjoined flexor and extensor pollicis longus tendons in (Fitch et al), 417
Hypothenar skin grafts for fingertip reconstruction (Schenck and Cheema), 750

I

Imaging, ultrasound transmission, preliminary study of upper limb with use of (Hentz et al), 188
Implants, alumina ceramic finger: preliminary biomaterial and clinical evaluation (Doi et al), 740
demineralized xenogeneic bone, use of, to correct phalangeal defects: case report (Upton et al), 388
proplast stabilized stemless trapezium (Kessler et al), 227
Infant, newborn, upper extremity gangrene of (Shaffer et al), 88
Infections, *Vibrio* hand: case report and review of literature (Zielinski and Bora), 754
Injection injury, new high-pressure, of hand (Craig), 240
steroid, for flexor tenosynovitis (Carlson and Curtis), 286
Injur(ies), acute microwave-oven hand, investigation of (Dickason and Barutt), 132
cervical spinal cord, tendon transfer for restoration of upper limb function after (Freehafer et al), 887
class IIA ring avulsion: absolute indication for microvascular repair (Nissenbaum), 810
close-range gunshot, to distal forearm, microvascular reconstruction for (Salibian et al), 799
nail bed, study of: causes, treatment, and prognosis (Zook et al), 247
new high-pressure injection, of hand (Craig), 240
pay phone receiver cord, to hand (Lesavoy and Meals), 908
ring avulsion amputation, primary microsurgical repair of (Tsai et al), 68
Innervation of proximal interphalangeal joint, gross anatomic and histologic study of (Schultz et al), 669
Insensitivity, congenital, of hand, clinical manifestations of, and classification of syndromes (Gwathmey and House), 863
Instability, carpal, after trauma, intercarpal arthrodesis in management of (Hastings and Silver), 834
Instability—cont'd
technique for anterior wedge-shaped grafts for scaphoid nonunions with (Fernandez), 733
chronic intercarpal, ligamentous reconstruction for (Glickel and Millender), 514
dynamic triquetrolunate: case report (Lichtman et al), 185
Intercarpal arthrodesis in management of chronic carpal instability after trauma (Hastings and Silver), 834
instability, chronic, ligamentous reconstruction for (Glickel and Millender), 514
Internal fixation techniques, comparative strengths of (Vanik et al), 216
Interosseous nerve palsy, tardy posterior, as result of unreduced radial head dislocation in Monteggia fractures: report of two cases (Holst-Nielsen and Jensen), 572
Interphalangeal, distal, osteoarthritis of finger, localized Sudeck's dystrophy and: anatomicoradiologic study (Lagier and Chamay), 328
joint, proximal, palmar dislocation of (Peimer et al), 39
proximal, flexion contractures, double V-Y flap for correction of (Nathan), 48
gross anatomic and histologic study of innervation of (Schultz et al), 669
of index finger, elective free vascularized double transfer of toe joint from second toe to: case report (Tsai and Singer), 816
palmar dislocation of, requiring open reduction: case report (De Smet and Vercauteren), 717
report of case presenting as blocked: osteochondromas of hand in hereditary multiple exostosis (Karr et al), 264
pyogenic arthritis, functional treatment method for (Wittels et al), 894
Intraosseous ganglion of phalanx (Posner and Green), 280
Invited comment (Dobyns), 526
Ischemia, digital, secondary to thrombosis of persistent median artery (Aulicino et al), 820
time, warm: case report, revascularization of digits after thirty-three hours of (Chiu and Chen), 63

J

Joints, carpometacarpal, fourth and fifth, and simultaneous dislocation of metacarpophalangeal joint of small finger, dorsal dislocation of: case report (Stevanovic and Stark), 714
distal radioulnar, entrapment of median nerve and flexor pollicis longus tendon in epiphyseal fracture-dislocation of (Sumner and Khuri), 711
level, carpometacarpal, thumb loss at, free microvascular transfer of second toe ray and serratus anterior muscle for management of (Gordon et al), 642
painful thumb carpometacarpal, ligament reconstruction for: long-term assessment (Eaton et al), 692
proximal interphalangeal, flexion contractures, double V-Y flap for correction of (Nathan), 48
gross anatomic and histologic study of innervation of (Schultz et al), 669
palmar dislocation of (Peimer et al), 39
requiring open reduction: case report (De Smet and Vercauteren), 717
report of case presenting as blocked: osteochondromas of hand in hereditary multiple exostosis (Karr et al), 264
reconstruction, composite metacarpophalangeal, in great toe-to-hand free tissue transfers (Wilson et al), 645

Joints—cont'd
toe, elective free vascularized double transfer of, from second toe to proximal interphalangeal joint of index finger: case report (Tsai and Singer), 816
transfer, free vascularized double metatarsal and metatarsophalangeal, reconstruction of central metacarpal ray defects of hand with (Rose), 28
small, to hand (O'Brien et al), 634
Junctura tendinum between extensor digitorum communis and extensor pollicis longus (Steichen and Petersen), 674

K

Krukenberg procedure: method of treatment for unilateral anomalies of upper limb in Chinese children (Chan et al), 548

L

Laceration and repair, recovery of skeletal muscle after (Garrett et al), 683
Lag screw, small cancellous, displaced vertical fracture of trapezium treated with (Freeland and Finley), 843
Laser, argon, evaluation of use of, in repairing rat and primate nerves (Almquist et al), 792
transection, carbon dioxide, of rat peripheral nerves (Hurst et al), 428
Letters to the editor, 297, 451, 613, 767, 927
Ligament, oblique retinacular, reconstruction for chronic mallet finger deformity (Kleinman and Petersen), 399
reconstruction for painful thumb carpometacarpal joint: long-term assessment (Eaton et al), 692
Limb function, upper, after cervical spinal cord injury, tendon transfer for restoration of (Freehafer et al), 887
upper, melorheostosis of: report of two cases (Kawabata et al), 871
revascularization and replantation, late functional results of (Russell et al), 623
Lipoma, acute compression ulnar neuropathy at Guyon's canal resulting from (Zahrawi), 238
Longus, flexor pollicis, vinculum system, anatomy of (Armenta and Fisher), 210
Lunate, transient vascular compromise of, after fracture-dislocation or dislocation of carpus (White and Omer), 181
Lunotriquetral sprains (Reagan et al), 502
Lymphatic compression of superficial branch of radial nerve—case report (Fossati et al), 898
Lymphoma, soft tissue T cell, of forearm: case report (Ellstein et al), 346

M

Malignant transformation in plexiform neurofibroma of median nerve (Williams et al), 583
Mallet finger deformities, molded polythene splint for (Crawford), 231
oblique retinacular ligament reconstruction for chronic (Kleinman and Petersen), 399
Malunited fractures of distal radius, midcarpal instability caused by (Taleisnik and Watson), 350
Marcaine (bupivacaine) wrist and metacarpal nerve blocks, neuropathy after (Born), 109
Metatarsal, free vascularized double, and metatarsophalangeal joint transfer, reconstruction of central metacarpal ray defects of hand with (Rose), 28
Medial head of triceps brachii muscle, case of cubital tunnel syndrome caused by snapping of (Hayashi et al), 96
Melorheostosis of upper limb: report of two cases (Kawabata et al), 871
Mercury, metallic, injury to hand with (Baruch and Haas), 446
Metacarpal and wrist nerve blocks, neuropathy after bupivacaine (Marcaine) (Born), 109
fibrous dysplasia of: case report (Hayter and Becton), 587
/hamate, fifth, arthrodesis for posttraumatic osteoarthritis (Clendenin and Smith), 374
ray defects, central, of hand, reconstruction of, with free vascularized double metatarsal and metatarsophalangeal joint transfer (Rose), 28
thumb, giant cell tumor of, in elderly patient: case report (Henard), 343
Metacarpophalangeal joint of small finger, dorsal dislocation of fourth and fifth carpometacarpal joints and simultaneous dislocation of: case report (Stevanović and Stark), 714
reconstruction, composite, in great toe-to-hand free tissue transfers (Wilson et al), 645
Metatarsophalangeal and free vascularized double metatarsal joint transfer, reconstruction of central metacarpal ray defects of hand with (Rose), 28
Microarterial surgery, cuffing techniques in (Merrell et al), 76
Microneurorrhaphy, absorbable versus nonabsorbable suture for (Cham et al), 434
Microsurgical repair, primary, of ring avulsion amputation injuries (Tsai et al), 68
Microvascular clamps, patency of anastomosed arteries and veins subjected to reapplication of (Shaffer et al), 73
reconstruction for close-range gunshot injuries to distal forearm (Salibian et al), 799
repair, absolute indication for: class IIA ring avulsion injuries (Nissenbaum), 810
transfer, free, of second toe ray and serratus anterior muscle for management of thumb loss at carpometacarpal joint level (Gordon et al), 642
vein grafts, effect of redundancy and tension on (Wilber et al), 649
Microwave-oven hand injury, acute, investigation of (Dickason and Barutt), 132
Midcarpal instability caused by malunited fractures of distal radius (Taleisnik and Watson), 350
Mobilization, results of primary repair with controlled: flexor tendon repair in no-man's land (Ejeskär), 171
Model, strain recording: analysis of transverse osteotomy fixation in small bones (Rayhack et al), 383
Monitoring, thermometric, evaluation of survival in digital replantation with (Lu et al), 805
Monteggia fractures, tardy posterior interosseous nerve palsy as result of unreduced radial head dislocation in: report of two cases (Holst-Nielsen and Jensen), 572
Morphology, internal, of human phalanges (Schulter-Ellis and Lazar), 490
Movers, wrist, tendon excursion of (Youm et al), 202
Muscles, absent thenar, congenital hypoplastic thumb with: anomalous digital neurovascular bundle (Rayan), 665
flap, pronator quadratus (Dellon and Mackinnon), 423
serratus anterior, and second toe ray, free microvascular transfer of, for management of thumb loss at carpometacarpal joint level (Gordon et al), 642
skeletal, after laceration and repair, recovery of (Garrett et al), 683
transplantation, functioning free, (Manktelow et al), 32

Muscles—cont'd
triceps brachii, case of cubital tunnel syndrome caused by snapping of medial head of (Hayashi et al), 96

N

Nail bed injuries, study of: causes, treatment, and prognosis (Zook et al), 247
Necrosis, aseptic, intraosseous blood supply of capitate and its correlation with (Vander Grend et al), 677
Nerve(s) blocks, wrist and metacarpal, neuropathy after bupivacaine (Marcaine) (Born), 109
compression, acute peripheral, vibratory sensory testing in (Szabo et al), 104
digital, advancement, restoration of sensibility to thumb by technique of: new surgical procedure (Ogunro), 440
entrapment neuropathy, ulnar, in forearm (Holtzman et al), 576
human peripheral, carbonic anhydrase activity of: possible histochemical aid to nerve repair (Riley and Lang), 112
median, and flexor pollicis longus tendon in epiphyseal fracture-dislocation of distal radioulnar joint, entrapment of: case report (Sumner and Khuri), 711
malignant transformation in plexiform neurofibroma of (Williams et al), 583
palsy, tardy posterior interosseous, as result of unreduced radial head dislocation in Monteggia fractures: report of two cases (Holst-Nielsen and Jensen), 572
radial, lymphatic compression of superficial branch of—case report (Fossati et al), 898
rat and primate, evaluation of use of argon laser in repairing (Almquist et al), 792
peripheral, carbon dioxide laser transection of (Hurst et al), 428
repair (Sunderland), 1 (Editorial)
possible histochemical aid to: carbonic anhydrase activity of human peripheral nerves (Riley and Lang), 112
response after autotransplantation of rabbit ear (Lassmann and Piza), 121
Neurofibroma, plexiform, of median nerve, malignant transformation in (Williams et al), 583
Neuropathy, acute compression ulnar, at Guyon's canal resulting from lipoma (Zahrawi), 238
after bupivacaine (Marcaine) wrist and metacarpal nerve blocks (Born), 109
localized constrictive radial, in absence of extrinsic compression: three cases (Burns and Lister), 99
ulnar nerve entrapment, in forearm (Holtzman et al), 576
Neurorrhaphy, epineural, inhibition of neural and muscle degeneration after (Hurst et al), 564
Neurovascular bundle, anomalous digital: congenital hypoplastic thumb with absent thenar muscles (Rayan), 665
Nidus, osteoid osteoma, in finger, localization of, by use of computed tomography: case report (McConnell and Dell), 139
Nodular tenosynovitis, localized: experience with 115 cases (Moore et al), 412
Nodulosis, rheumatoid, of hand (Fleischer and McGrath), 404
Nonrheumatoid patient, multiple stapling for wrist arthrodesis in (Benkeddache et al), 256
Nonunions, infected forearm, vascularized bone grafts in treatment of (Dell and Sheppard), 653
scaphoid, with carpal instability, technique for anterior wedge-shaped grafts for (Fernandez), 733

O

Opponensplasty with transfer of extensor carpi ulnaris to extensor pollicis brevis, complications of (Wood and Adams), 699
Osteoarthritis, distal interphalangeal, of finger and localized Sudeck's dystrophy: anatomicoradiologic study (Lagier and Chamay), 328
posttraumatic, fifth metacarpal/hamate arthrodesis for (Clendenin and Smith), 374
sparing effect of tendon injury on (Thirupathi et al), 592
Osteochondromas of hand in hereditary multiple exostosis: report of case presenting as blocked proximal interphalangeal joint (Karr et al), 264
Osteocutaneous groin flap, immediate reconstruction of wrist and dorsum of hand with (Swartz), 18
use of, in gunshot wounds of hand (Reinisch et al), 12
Osteoid osteoma nidus in finger, localization of, by use of computed tomography: case report (McConnell and Dell), 139
of capitate: case report (Riester and Mosher), 278
proximal phalanx, treatment of, by use of cryosurgery (Gartsman and Ranawat), 275
Osteoma nidus, osteoid, in finger, localization of, by use of computed tomography: case report (McConnell and Dell), 139
osteoid, of capitate: case report (Riester and Mosher), 278
proximal phalanx, treatment of, by use of cryosurgery (Gartsman and Ranawat), 275
Osteosynthesis, distraction, in hand, technique of (Manktelow and Wainwright), 858
Osteotomy, transverse, fixation in small bones, analysis of: strain recording model (Rayhack et al), 383

P

Pachydermodactyly: case report and discussion of pathologic entity (Fleeter et al), 764
Patency of anastomosed arteries and veins subjected to reapplication of microvascular clamps (Shaffer et al), 73
Pathologic entity, case report and discussion of: pachydermodactyly (Fleeter et al), 764
Pattern of venous drainage of digits (Lucas), 448
scapholunate advanced collapse, of degenerative arthritis: SLAC wrist (Watson and Ballet), 358
Pay phone receiver cord injuries to hand (Lesavoy and Meals), 908
Perichondrial, free, graft from ear to knee in rabbits (Kulick et al), 213
resurfacing arthroplasty in hand (Seradge et al), 880
Peripheral nerve compression, acute, vibratory sensory testing in (Szabo et al), 104
human, carbonic anhydrase activity of: possible histochemical aid to nerve repair (Riley and Lang), 112
rat, carbon dioxide laser transection of (Hurst et al), 428
Phalangeal defects, use of demineralized xenogeneic bone implants to correct: case report (Upton et al), 388
fractures, proximal, closed reduction and internal fixation of (Belsky et al), 725
Phalanges, human, internal morphology of (Schulter-Ellis and Lazar), 490
Phalanx, distal, permanent tendon-to-bone suture technique in (Vercimak and Hendel), 146
intraosseous ganglion of (Posner and Green), 280
proximal, treatment of osteoid osteoma of, by use of cryosurgery (Gartsman and Ranawat), 275
Pigmented villonodular synovitis of wrist invading bone—report of case (Patel and Zinberg), 854

Pisiform, isolated dislocation of: case report and review of literature (Minami et al), 125
Pollicis brevis, extensor, complications of opponensplasty with transfer of extensor carpi ulnaris to (Wood and Adams), 699
longus, extensor, and extensor digitorum communis, junctura tendinum between (Steichen and Petersen), 674
flexor, vinculum system, anatomy of (Armenta and Fisher), 210
tendons, flexor and extensor, conjoined, in hypoplastic thumb (Fitch et al), 417
flexor, and median nerve in epiphyseal fracture-dislocation of distal radioulnar joint, entrapment of: case report (Sumner and Khuri), 711
Pollicization of second ray remnant, thumb reconstruction in burned hand by advancement (May et al), 484
Polydactyly of thumb: surgical plan based on ninety-five cases (Cheng et al), 155
Polythene splint, molded, for mallet finger deformities (Crawford), 231
Preiser's disease: case report (Bray and McCarroll), 730
Prognosis, causes and treatment: study of nail bed injuries (Zook et al), 247
Pronator quadratus muscle flap (Dellon and Mackinnon), 423
Proplast stabilized stemless trapezium implant (Kessler et al), 227
Proximal interphalangeal joint flexion contractures, double V-Y flap for correction of (Nathan), 48
palmar dislocation of (Peimer et al), 39
report of case presenting as blocked: osteochondromas of hand in hereditary multiple exostosis (Karr et al), 264
phalanx, treatment of osteoid osteoma of, by use of cryosurgery (Gartsman and Ranawat), 275
Pseudarthrosis, surgical treatment of scaphoid, evaluation of results after soft tissue arthroplasty and inlay bone grafting (Boeckstyns and Busch), 378
Pulleys in first stage of flexor tendon grafting, "belt loop" technique for reconstruction of (Karev), 923
Pyogenic arthritis, interphalangeal, functional treatment method for (Wittels et al), 894

R

Radial clubhand, centralization procedure for (Watson et al), 541
head dislocation, unreduced, in Monteggia fractures, tardy posterior interosseous nerve palsy as result of: report of two cases (Holst-Nielsen and Jensen), 572
neuropathy, localized constrictive, in absence of extrinsic compression: three cases (Burns and Lister), 99
Radiocarpal arthrodesis, alternative method of: capitate-radius arthrodesis (Louis et al), 365
fracture-dislocations, open (Nyquist and Stern), 707
Radionuclide bone scanning, use of three-phase, in diagnosis of reflex sympathetic dystrophy (Mackinnon and Holder), 556
Radioulnar joint, distal, entrapment of median nerve and flexor pollicis longus tendon in epiphyseal fracture-dislocation of: case report (Sumner and Khuri), 711
synovial chondromatosis of (Ballet et al), 590
Radius, distal, midcarpal instability caused by malunited fractures of (Taleisnik and Watson), 350
Ray defects, central metacarpal, of hand, reconstruction of, with free vascularized double metatarsal and metatarsophalangeal joint transfer (Rose), 28
deficiency, ulnar: its various manifestations (Swanson et al), 658
remnant, second, thumb reconstruction in burned hand by advancement pollicization of (May et al), 484
Ray defects—cont'd
second toe, and serratus anterior muscle, free microvascular transfer of, for management of thumb loss at carpometacarpal joint level (Gordon et al), 642
Reconstruction and sensitization of amputated thumb (Kartchinov), 478
composite metacarpophalangeal joint, in great toe-to-hand free tissue transfers (Wilson et al), 645
fingertip, hypothenar skin grafts for (Schenck and Cheema), 750
immediate, of wrist and dorsum of hand with free osteocutaneous groin flap (Swartz), 18
ligament, for painful thumb carpometacarpal joint: long-term assessment (Eaton et al), 692
ligamentous, for chronic intercarpal instability (Glickel and Millender), 514
microvascular, for close-range gunshot injuries to distal forearm (Salibian et al), 799
oblique retinacular ligament, for chronic mallet finger deformity (Kleinman and Petersen), 399
of central metacarpal ray defects of hand with free vascularized double metatarsal and metatarsophalangeal joint transfer (Rose), 28
pulleys in first stage of flexor tendon grafting, "belt loop" technique for (Karev), 923
transmetacarpal amputations, ring finger transfer in (Morrison et al), 4
thumb, in burned hand by advancement pollicization of second ray remnant (May et al), 484
Reconstructive procedure, not failure—amputation stump closure (May), 828 (Sterling Bunnell traveling fellowship report—1983)
Reduction, closed, and internal fixation of proximal phalangeal fractures (Belsky et al), 725
open, palmar dislocation of proximal interphalangeal joint requiring: case report (De Smet and Vercauteren), 717
Reliability and validity of grip and pinch strength evaluations (Mathiowetz et al), 222
Repair and laceration, recovery of skeletal muscle after (Garrett et al), 683
double Z-rhombic, of both large and small defects of upper extremity (Cuono), 197
flexor tendon, in no-man's-land: results of primary repair with controlled mobilization (Ejeskär), 171
microvascular, absolute indication for: class IIA ring avulsion injuries (Nissenbaum), 810
nerve, possible histochemical aid to: carbonic anhydrase activity of human peripheral nerves (Riley and Lang), 112
primary microsurgical, of ring avulsion amputation injuries (Tsai et al), 68
with controlled mobilization: flexor tendon repair in no-man's-land (Ejeskär), 171
Repairing rat and primate nerves, evaluation of use of argon laser in (Almquist et al), 792
Replantation and revascularization, upper limb, late functional results of (Russell et al), 623
digital, with thermometric monitoring, evaluation of survival in (Lu et al), 805
Response, nerve, after autotransplantation of rabbit ear (Lassmann and Piza), 121
Restoration of upper limb function after cervical spinal cord injury, tendon transfer for (Freehafer et al), 887
Retinacular ligament, oblique, reconstruction for chronic mallet finger deformity (Kleinman and Petersen), 399

Revascularization and replantation, upper limb, late functional results of (Russell et al), 623
of digits after thirty-three hours of warm ischemia time: case report (Chiu and Chen), 63
Rheumatoid arthritis, arthrodesis of wrist by internal fixation in: follow-up study of forty-five consecutive cases (Vahvanen and Tallroth), 531
dorsal carpal dislocation and flexor tendon rupture in: case report (Craig and House), 261
nodulosis of hand (Fleischer and McGrath), 404
Rodeo roping thumb injuries (Morgan et al), 178
Roping thumb injuries, rodeo (Morgan et al), 178
Ruptures, bilateral partial, of flexor carpi radialis tendon secondary to trapezial arthritis (Bowe et al), 738
flexor tendon, and dorsal carpal dislocation in rheumatoid arthritis: case report (Craig and House), 261
sequential, of extensor tendons after Colles fracture (Sadr), 144

S

Scanning, bone, use of three-phase radionuclide, in diagnosis of reflex sympathetic dystrophy (Mackinnon and Holder), 556
Scaphoid fractures in children (Greene et al), 536
nonunions with carpal instability, technique for anterior wedge-shaped grafts for (Fernandez), 733
pseudarthrosis, surgical treatment of: evaluation of results after soft tissue arthroplasty and inlay bone grafting (Boeckstyns and Busch), 378
Scapholunate advanced collapse pattern of degenerative arthritis: SLAC wrist (Watson and Ballet), 358
dissociation from fall on elbow (Morgan and Groves), 845
posttraumatic, detected by wrist cineradiography (Nielsen and Hedeboe), 135
Sclerodermal finger ulcers, management of (Gahhos et al), 320
Sensibility to thumb, restoration of, by technique of digital nerve advancement: new surgical procedure (Ogunro), 440
Sensitization and reconstruction of amputated thumb (Kartchinov), 478
Sensory testing, vibratory, in acute peripheral nerve compression (Szabo et al), 104
Sheath, tendon, fibroma of (Greene and Strickland), 758
Skeletal muscle after laceration and repair, recovery of (Garrett et al), 683
Skin grafts, hypothenar, for fingertip reconstruction (Schenck and Cheema), 750
SLAC wrist: scapholunate advanced collapse pattern of degenerative arthritis (Watson and Ballet), 358
Soft tissue T cell lymphoma of forearm: case report (Ellstein et al), 346
Sparing effect of tendon injury on osteoarthritis (Thirupathi et al), 592
Spinal cord injury, cervical, tendon transfer for restoration of upper limb function after (Freehafer et al), 887
Spiradenoma, malignant eccrine, two cases of: sweat gland carcinoma of hand (Yaremchuk et al), 910
Splint, molded polythene, for mallet finger deformities (Crawford), 231
Splintage, dynamic, excursion of tendon of flexor pollicis longus and its relation to (Brown and McGrouther), 787
Sprains, lunotriquetral (Reagan et al), 502
Stapling multiple, for wrist arthrodesis in nonrheumatoid patient (Benkeddache et al), 256
Sterling Bunnell traveling fellowship report—1983, 828
Steroid injection for flexor tenosynovitis (Carlson and Curtis), 286
therapy, local, in hand (McGrath), 915 (Review article)
Strengths, comparative, of internal fixation techniques (Vanik et al), 216
evaluations, grip and pinch, reliability and validity of (Mathiowetz et al), 222
Stump closure, amputation—reconstructive procedure, not failure (May), 828 (Sterling Bunnell traveling fellowship report—1983)
Subluxation, symptomatic palmar tendon, after surgical release for de Quervain's disease: case report (White and Weiland), 704
Sudeck's dystrophy, localized, and distal interphalangeal osteoarthritis of finger: anatomicoradiologic study (Lagier and Chamay), 328
Surgical treatment of scaphoid pseudarthrosis: evaluation of results after soft tissue arthroplasty and inlay bone grafting (Boeckstyns and Busch), 378
Survival in digital replantation, evaluation of, with thermometric monitoring (Lu et al), 805
Suture, absorbable versus nonabsorbable, for microneurorrhaphy (Cham et al), 434
permanent tendon-to-bone, technique in distal phalanx (Vercimak and Hendel), 146
Sweat gland carcinoma of hand: two cases of malignant eccrine spiradenoma (Yaremchuk et al), 910
Symptoms in upper extremity, isolated cold stress testing in assessment of: preliminary communication (Koman et al), 305
Syndromes, carpal tunnel, in hemophilia (Moneim and Gribble), 580
clinical manifestations of congenital insensitivity of hand and classification of (Gwathmey and House), 863
compartment, caused by traumatized vascular hamartoma (Joseph et al), 904
congenital constriction band (Miura), 82
cubital tunnel, anconeus epitrochlearis, rare cause of: case report (Dahners and Wood), 579
case of, caused by snapping of medial head of triceps brachii muscle (Hayashi et al), 96
treatment of (Adelaar et al), 90
exercise-induced compartment, of dorsal forearm—case report (Imbriglia and Boland), 142
Synovitis, pigmented villonodular, of wrist invading bone—report of case (Patel and Zinberg), 854
System, flexor pollicis longus vinculum, anatomy of (Armenta and Fisher), 210

T

T cell lymphoma, soft tissue, of forearm: case report (Ellstein et al), 346
Tears, isolated, of triangular fibrocartilage of wrist: results of partial excision (Menon et al), 527
Techniques, cuffing, in microarterial surgery (Merrell), 76
internal fixation, comparative strengths of (Vanik et al), 216
open-palm, and wound closure, comparison between: fasciectomy and Dupuytren's disease (Lubahn et al), 53
permanent tendon-to-bone suture, in distal phalanx (Vercimak and Hendel), 146
photoplethysmographic: evaluation of vascular compromise in injured extremity (Smith et al), 314
Tendon(s) excursion of wrist movers (Youm et al), 202
extensor, sequential rupture of, after Colles fracture (Sadr), 144

Tendon(s)—cont'd
flexor and extensor, calcinosis of, in dermatomyositis—case report (Ames and Posch), 876
flexor and extensor pollicis longus, conjoined, in hypoplastic thumb (Fitch et al), 417
flexor carpi radialis, secondary to trapezial arthritis, bilateral partial ruptures of (Bowe et al), 738
flexor pollicis longus, and median nerve in epiphyseal fracture-dislocation of distal radioulnar joint, entrapment of: case report (Sumner and Khuri), 711
grafting, flexor, first stage of, "belt loop" technique for reconstruction of pulleys in (Karev), 923
injury, sparing effect of, on osteoarthritis (Thirupathi et al), 592
of flexor pollicis longus, excursion of, and its relation to dynamic splintage (Brown and McGrouther), 787
repair, flexor in no-man's-land: results of primary repair with controlled mobilization (Ejeskär), 171
rupture, flexor, and dorsal carpal dislocation in rheumatoid arthritis: case report (Craig and House), 261
sheath, fibroma of (Greene and Strickland), 758
subluxation, symptomatic palmar, after surgical release for de Quervain's disease: case report (White and Weiland), 704
-to-bone suture, permanent, technique in distal phalanx (Vercimak and Hendel), 146
transfers, anatomic and biomechanical study of: opposition of thumb (Cooney et al), 777
for restoration of upper limb function after cervical spinal cord injury (Freehafer et al), 887
Tenosynovitis, flexor, steroid injection for (Carlson and Curtis), 286
localized nodular: experience with 115 cases (Moore et al), 412
Testing, isolated cold stress, in assessment of symptoms in upper extremity: preliminary communication (Koman et al), 305
vibratory sensory, in acute peripheral nerve compression (Szabo et al), 104
Thenar muscles, absent, congenital hypoplastic thumb with: anomalous digital neurovascular bundle (Rayan), 665
Therapeutic and diagnostic value of carpal tunnel injection (Green), 850
Therapy, local steroid, in hand (McGrath), 915 (Review article)
Thermometric monitoring, evaluation of survival in digital replantation with (Lu et al), 805
Thrombosis of persistent median artery, digital ischemia secondary to (Aulicino et al), 820
spontaneous retrocarpal radial artery: report of two cases (Richards and Urbaniak), 823
Thumb after blunt trauma, traumatic arteriovenous fistula of: case report (May et al), 253
carpometacarpal joint, painful, ligament reconstruction: long-term assessment (Eaton et al), 692
congenital familial hypoplastic, associated with congenital amputation of toe (Miura), 420
hypoplastic, with absent thenar muscles: anomalous digital neurovascular bundle (Rayan), 665
digital artery, true aneurysm of (Dangles), 444
hypoplastic, conjoined flexor and extensor pollicis longus tendons in (Fitch et al), 417
injuries, rodeo roping (Morgan et al), 178
loss at carpometacarpal joint level, free microvascular transfer of second toe ray and serratus anterior muscle for management of (Gordon et al), 642
metacarpal, giant cell tumor of, in elderly patient: case report (Henard), 343
Thumb after blunt trauma—cont'd
opposition of: anatomic and biomechanical study of tendon transfers (Cooney et al), 777
polydactyly of: surgical plan based on ninety-five cases (Cheng et al), 155
reconstruction and sensitization of amputated (Kartchinov), 478
reconstruction on burned hand by advancement pollicization of second ray remnant (May et al), 484
restoration of sensibility to, by technique of digital nerve advancement: new surgical procedure (Ogunro), 440
Tissue, soft, arthroplasty and inlay bone grafting, surgical treatment of scaphoid pseudarthrosis: evaluation of results after (Boeckstyns and Busch), 378
T cell lymphoma of forearm: case report (Ellstein et al), 346
transfers, free, in great toe-to-hand, composite metacarpophalangeal joint reconstruction in (Wilson et al), 645
in hand surgery, development of (Chase), 463 (Presidential address)
Toe, congenital familial hypoplastic thumb associated with congenital amputation of (Miura), 420
joint, elective free vascularized double transfer of, from second toe to proximal interphalangeal joint of index finger: case report (Tsai and Singer), 816
-to-hand, great, free tissue transfers, composite metacarpophalangeal joint reconstruction in (Wilson et al), 645
ray, second, and serratus anterior muscle, free microvascular transfer of, for management of thumb loss at carpometacarpal joint level (Gordon et al), 642
Tomography computed, localization of osteoid osteoma nidus in finger by use of: case report (McConnell and Dell), 139
Transection, carbon dioxide laser, of rat peripheral nerves (Hurst et al), 428
Transfer(s), elective free vascularized double, of toe joint from second toe to proximal interphalangeal joint of index finger: case report (Tsai and Singer), 816
free microvascular, of second toe ray and serratus anterior muscle for management of thumb loss at carpometacarpal joint level (Gordon et al), 642
tissue, in great toe-to-hand, composite metacarpophalangeal joint reconstruction in (Wilson et al), 645
vascularized small joint, to hand (O'Brien et al), 634
joint, free vascularized double metatarsal and metatarsophalangeal, reconstruction of central metacarpal ray defects of hand with (Rose), 28
of extensor carpi ulnaris to extensor pollicis brevis, complications of opponensplasty with (Wood and Adams), 699
ring finger, in reconstruction of transmetacarpal amputations (Morrison et al), 4
tendon, anatomic and biomechanical study of: opposition of thumb (Cooney et al), 777
tendon for restoration of upper limb function after cervical spinal cord injury (Freehafer et al), 887
Transmetacarpal amputations, ring finger transfer in reconstruction of (Morrison et al), 4
Transmission imaging, ultrasound, preliminary study of upper limb with use of (Hentz et al), 188
Transplantation, functioning free muscle (Manktelow et al), 32
Transscaphoid-lunate dislocation: report of two cases (Stern), 370
Transverse osteotomy fixation in small bones, analysis of: strain recording model (Rayhack et al), 383
Trapezial arthritis, bilateral partial ruptures of flexor carpi radialis tendon secondary to (Bowe et al), 738

Trapezium implant, proplast stabilized stemless (Kessler et al), 227
treated with small cancellous lag screw, displaced vertical fracture of (Freeland and Finley), 843
Trapezoid, update: palmar dislocation of—case report (Goodman and Shankman), 127
Trauma, intercarpal arthrodesis in management of chronic carpal instability after (Hastings and Silver), 834
traumatic arteriovenous fistula of thumb after blunt: case report (May et al), 253
Treatment, causes, and prognosis: study of nail bed injuries (Zook et al), 247
Triceps brachii muscle, case of cubital tunnel syndrome caused by snapping of medial head of (Hayashi et al), 96
Triquetrolunate instability, dynamic: case report (Lichtman et al), 185
Triquetrum, traumatic dorsal dislocation of: case report (Bieber and Weiland), 840
Tuberculosis of hand and wrist (Bush and Schneider), 391
Tumor, giant cell, of capitate (Howard and Lassen), 272
thumb metacarpal in elderly patient: case report (Henard), 343

U

Ulcers, sclerodermal finger, management of (Gahhos et al), 320
Ulnar growth arrest, distal (Nelson et al), 164
neuropathy, acute compression, at Guyon's canal resulting from lipoma (Zahrawi), 238
ray deficiency: its various manifestations (Swanson et al), 658
variance and triangular fibrocartilage complex thickness, relationship between (Palmer et al), 681
Ultrasound transmission imaging, preliminary study of upper limb with use of (Hentz et al), 188

V

Validity and reliability of grip and pinch strength evaluations (Mathiowetz et al), 222
Vascular compromise, evaluation of, in injured extremity: photoplethysmographic technique (Smith et al), 314
transient, of lunate after fracture-dislocation or dislocation of carpus (White and Omer), 181
Vascularized bone grafts in treatment of infected forearm nonunions (Dell and Sheppard), 653
double transfer, elective free, of toe joint from second toe to proximal interphalangeal joint of index finger: case report (Tsai and Singer), 816
free, double metatarsal and metatarsophalangeal joint transfer, reconstruction of central metacarpal ray defects of hand with (Rose), 28
small joint transfer to hand (O'Brien et al), 634
Veins and arteries, anastomosed, patency of, subjected to reapplication of microvascular clamps (Shaffer et al), 73
grafts, microvascular, effect of redundancy and tension on (Wilber et al), 649
Venous drainage of digits, pattern of (Lucas), 448
Vibrio hand infections: case report and review of literature (Zielinski and Bora), 754
Villonodular synovitis, pigmented, of wrist invading bone—report of case (Patel and Zinberg), 854
Vinculum system, flexor pollicis longus, anatomy of (Armenta and Fisher), 210
V-Y flap, double, for correction of proximal interphalangeal joint flexion contractures (Nathan), 48

W

Wound(s) closure and open-palm technique, comparison between: fasciectomy and Dupuytren's disease (Lubahn et al), 53
gunshot, of hand, use of osteocutaneous groin flap in (Reinisch et al), 12
Wrist and dorsum of hand, immediate reconstruction of, with free osteocutaneous groin flap (Swartz), 18
hand, delayed primary bone grafting in, after traumatic bone loss (Freeland et al), 22
tuberculosis of (Bush and Schneider), 391
metacarpal nerve blocks, neuropathy after bupivacaine (Marcaine) (Born), 109
arthrodesis in nonrheumatoid patient, multiple stapling for (Benkeddache et al), 256
of, by internal fixation in rheumatoid arthritis: follow-up study of forty-five consecutive cases (Vahvanen and Tallroth), 531
cineradiography, posttraumatic scapholunate dissociation detected by (Nielsen and Hedeboe), 135
extensor retinaculum of (Taleisnik et al), 495
extraosseous chondrosarcoma of: case report (Stackhouse and Weiland), 338
isolated tears of triangular fibrocartilage of: results of partial excision (Menon et al), 527
movers, tendon excursion of (Youm et al), 202
pigmented villonodular synovitis of, invading bone—report of case (Patel and Zinberg), 854
SLAC: scapholunate advanced collapse pattern of degenerative arthritis (Watson and Ballet), 358

X

Xenogeneic, demineralized, bone implants, use of, to correct phalangeal defects: case report (Upton et al), 388

Z

Z-rhombic repair, double, of both large and small defects of upper extremity (Cuono), 197